

Polar volatile compounds

Separation of carbon dioxide, ammonia and water

Application Note

Materials Testing & Research

Authors

Agilent Technologies, Inc.

Introduction


GC/MS with an Agilent CP-Volamine column separates polar volatiles such as carbon dioxide, ammonia and water in under two minutes.



Conditions

Technique	:	GC
Column	:	Agilent CP-Volamine, 0.32 mm x 30 m fused silica (optimized filmthickness) (Part no. CP7447)
Temperature	:	40 °C
Carrier Gas	:	Helium, 3 psi,
Injector	:	Split,
Detector	:	MS
Sample Size	:	0.5 μL
Concentration Range	:	1000 ppm in air;
Solvent	:	air
Courtesy	:	Jim Luong and Paige Spencer,

Dow Chemical Canada



www.agilent.com/chem

This information is subject to change without notice. © Agilent Technologies, Inc. 2011 Printed in the USA 31 October, 2011 First published prior to 11 May, 2010 A01915



Agilent Technologies