

PREMIER Columns with MaxPeak High Performance Surfaces

Good chromatography is as much about preventing the detrimental interactions you don't want, as it is creating the ones you do.

Waters™ PREMIER columns enable scientists to have more control over their chromatographic separations with the inclusion of MaxPeak™ High Performance Surfaces (HPS). MaxPeak HPS are innovative technologies designed to increase analyte recovery, sensitivity, and reproducibility by minimizing analyte/surface interactions that can lead to sample losses. In PREMIER columns, this technology mitigates the loss of metal sensitive analytes, such as lipids, organic acids, acidic peptides, oligonucleotides, or other compounds containing phosphate or carboxylate functionalities.

PREMIER columns with MaxPeak HPS provide:

- Reduced column conditioning and passivation times
- Improved sensitivity and peak shapes
- Simpler mobile phases, without complex additives
- Time savings in method development
- Reduced risk and greater confidence in data and decision making

Available with particle technologies and quality manufacturing you can trust for small molecule, peptide, oligonucleotide, and glycan separations in both reversed-phase and HILIC separation modes.

BEH Technology

- Good universal column choice for a wide variety of compounds
- Exceptional peak shape for basic analytes at elevated pH
- Stable across a wide pH range
- Stable at high temperatures

HSS Technology

- Increased retentivity over hybrid materials
- Widest selectivity space with C₁₈, T₃, C₈ SB, Cyano, and PFP chemistries
- High strength silica (HSS) for mechanical stability

CSH Technology

- Excellent peak shape for basic compounds under acidic, low ionic strength conditions
- Excellent MS performance with formic acid as a mobile phase modifier
- Fast pH switching and column equilibration

	C ₁₈	C ₁₈ AX	Shield RP18	Amide	CSH C ₁₈	CSH Phenyl-Hexyl	HSS T ₃
Ligand density*	3.1 μmol/m ²	1.6 μmol/m ²	3.3 μmol/m ²	7.5 μmol/m ²	2.3 μmol/m ²	2.3 μmol/m ²	1.6 μmol/m ²
Pore diameter	130 Å, 300 Å	95 Å	130 Å	130 Å	130 Å	130 Å	100 Å
Carbon load*	18%	17%	17%	12%	15%	14%	11%
Endcap style	proprietary	proprietary	TMS	none	proprietary	proprietary	proprietary
pH range	1–12	2–10	2–11	2–11	1–11	1–11	2–8
Low pH temp. limit	80 °C	60 °C	50 °C	90 °C	80 °C	80 °C	45 °C
High pH temp. limit	60 °C	60 °C	45 °C	90 °C	45 °C	45 °C	45 °C
Surface area*	185 m ² /g	270 m ² /g	185 m ² /g	185 m ² /g	185 m ² /g	185 m ² /g	230 m ² /g
USP classification	L1	L78	L1	L68	L1	L11	L1

APPLICATION-SPECIFIC COLUMN SELECTIONS

PEPTIDE ANALYSIS

PREMIER BEH and XBridge™ Particle Technology

- Outstanding peak capacity and superior peak shape in TFA, DFA, and FA
- Two pore sizes (130 Å and 300 Å) to provide different separation selectivities

PREMIER CSH and XSelect™ CSH Particle Technology

- Accepts greater peptide mass loads for improved low-level detection of impurities
- Excellent performance with TFA for optical applications, FA for MS, and DFA for dual detection

PREMIER HSS T3 and XSelect HSS T3 Particle Technology

- Ideal choice for the separation of small, polar peptides with greater retentivity than hybrid (BEH, CSH) particle technology columns

OLIGONUCLEOTIDE ANALYSIS

PREMIER BEH and XBridge Particle Technology

- Outstanding peak capacity and superior peak shape and lifetime in HFIP, HAA, and TEA
- Two pore sizes (130 Å and 300 Å) to provide different separation selectivities

GLYCAN ANALYSIS

PREMIER BEH Amide Particle Technology

- Best suited for the analysis of released, N-labeled glycans using pre-column labeling with 2-AB, 2-AA, or Waters innovative and enabling *RapiFluor-MS™* reagent
- Two pore sizes (130 Å and 300 Å) to provide different selectivities from released glycans to large glycans, glycopeptides, and glycoproteins

PREMIER BEH C₁₈ AX Particle Technology

- Charge-based separation of neutral-to-highly acidic released N-glycans
- Improved resolution and recovery for sialylated and phosphorylated glycans

VAN GUARD™
FIT

To protect your investment, select columns are available with VanGuard™ FIT integrated guard column technology. With a FIT column design created specifically to integrate a guard column, separation efficiency is maintained, along with column lifetime.



Ordering Information

ACQUITY™ PREMIER Columns

	2.1 x 50 mm		2.1 x 100 mm		2.1 x 150 mm	
	Column	VanGuard FIT Column	Column	VanGuard FIT Column	Column	VanGuard FIT Column
BEH C ₁₈ , 130 Å, 1.7 µm	186009452	186009455	186009453	186009457	186009454	186009458
BEH Shield RP18, 130 Å, 1.7 µm	186009497	186009500	186009498	186009501	186009499	186009502
BEH Amide, 130 Å, 1.7 µm	186009504	186009507	186009505	186009508	186009506	186009509
CSH C ₁₈ , 130 Å, 1.7 µm	186009460	186009463	186009461	186009464	186009462	186009465
CSH Phenyl Hexyl, 130 Å, 1.7 µm	186009474	186009477	186009475	186009478	186009476	186009479
HSS T3, 100 Å, 1.8 µm	186009467	186009470	186009468	186009471	186009469	186009472

VanGuard FIT Cartridges	BEH C ₁₈ , 130 Å, 1.7 µm	BEH Shield RP18, 130 Å, 1.7 µm	BEH Amide, 130 Å, 1.7 µm	CSH C ₁₈ , 130 Å, 1.7 µm	CSH Phenyl Hexyl, 130 Å, 1.7 µm	HSS T3, 100 Å, 1.8 µm
2.1 x 5 mm	186009459	186009503	186009510	186009466	186009480	186009473

ACQUITY PREMIER Application-Specific Columns

	2.1 x 50 mm	2.1 x 100 mm	2.1 x 150 mm
Glycan BEH C ₁₈ AX, 95 Å, 1.7 µm	186009758	186009759	186009760
Glycan BEH Amide, 130 Å, 1.7 µm	186009522	186009523	186009524
Glycoprotein BEH Amide, 300 Å, 1.7 µm	186009547	186009548	186009549
Oligonucleotide BEH C ₁₈ , 130 Å, 1.7 µm	186009484	186009485	186009486
Peptide BEH C ₁₈ , 130 Å, 1.7 µm	186009481	186009482	186009483
Peptide BEH C ₁₈ , 300 Å, 1.7 µm	186009493*	186009494*	186009495*
Peptide CSH C ₁₈ , 130 Å, 1.7 µm	186009487	186009488	186009489
Peptide HSS T3, 100 Å, 1.8 µm	186009490	186009491	186009492

*Peptide BEH 300 Å columns (part numbers 186009493, 186009494, and 186009495) may also be used for oligonucleotide analyses requiring wider pore sizes.

Atlantis™ PREMIER BEH C₁₈ AX, 95 Å Columns

	1.7 µm		2.5 µm		5 µm	
	Column	VanGuard FIT Column	Column	VanGuard FIT Column	Column	VanGuard FIT Column
2.1 x 30 mm	186009365	186009357	186009389	186009374	-	-
2.1 x 50 mm	186009366	186009358	186009390	186009375	186009407	186009404
2.1 x 75 mm	186009367	186009359	186009391	186009376	-	-
2.1 x 100 mm	186009368	186009360	186009392	186009378	186009408	186009405
2.1 x 150 mm	186009369	186009361	186009393	186009379	186009409	186009406
4.6 x 50 mm	-	-	186009426	186009383	186009427	186009410
4.6 x 100 mm	-	-	186009397	186009384	186009416	186009411
4.6 x 150 mm	-	-	186009398	186009385	186009417	186009412
4.6 x 250 mm	-	-	-	-	186009418	186009413

VanGuard FIT Cartridges	1.7 µm	2.5 µm	5 µm
2.1 x 5 mm	186009373	186009402	186009421
3.9 x 5 mm	-	186009403	186009422

PREMIER 2.5 µm Columns

	2.1 x 50 mm		2.1 x 100 mm		2.1 x 150 mm	
	Column	VanGuard FIT Column	Column	VanGuard FIT Column	Column	VanGuard FIT Column
XBridge BEH C ₁₈ , 130 Å, 2.5 µm	186009827	186009843	186009828	186009844	186009829	186009845
XSelect CSH C ₁₈ , 130 Å, 2.5 µm	186009865	186009868	186009866	186009869	186009867	186009870
XSelect CSH Phenyl Hexyl, 130 Å, 2.5 µm	186009879	186009882	186009880	186009883	186009881	186009884
XSelect HSS T3, 100 Å, 2.5 µm	186009830	186009854	186009831	186009855	186009832	186009856

	4.6 x 50 mm		4.6 x 100 mm		4.6 x 150 mm	
	Column	VanGuard FIT Column	Column	VanGuard FIT Column	Column	VanGuard FIT Column
XBridge BEH C ₁₈ , 130 Å, 2.5 µm	186009847	186009850	186009848	186009851	186009849	186009852
XSelect CSH C ₁₈ , 130 Å, 2.5 µm	186009872	186009875	186009873	186009876	186009874	186009877
XSelect CSH Phenyl Hexyl, 130 Å, 2.5 µm	186009886	186009889	186009887	186009890	186009888	186009891
XSelect HSS T3, 100 Å, 2.5 µm	186009858	186009861	186009859	186009862	186009860	186009863

VanGuard FIT Cartridges	XBridge BEH C ₁₈ , 130 Å, 1.7 µm	XSelect CSH C ₁₈ , 130 Å, 1.7 µm	XSelect CSH Phenyl Hexyl, 130 Å, 1.7 µm	XSelect HSS T3, 100 Å, 1.8 µm
2.1 x 5 mm	186009842	186009864	186009878	186009853
3.9 x 5 mm	186009846	186009871	186009885	186009857

PREMIER 2.5 µm Application-Specific Columns

	2.1 x 50 mm	2.1 x 100 mm	2.1 x 150 mm
XBridge Peptide BEH C ₁₈ , 130 Å, 2.5 µm	186009733	186009734	186009835
XBridge Peptide BEH C ₁₈ , 300 Å, 2.5 µm	186009892*	186009893*	186009894*
XSelect Peptide CSH C ₁₈ , 130 Å, 2.5 µm	186009904	186009905	186009906
XSelect Peptide HSS T3, 100 Å, 2.5 µm	186009839	186009840	186009841

	4.6 x 50 mm	4.6 x 100 mm	4.6 x 150 mm
XBridge Peptide BEH C ₁₈ , 130 Å, 2.5 µm	186009898	186009899	186009900
XBridge Peptide BEH C ₁₈ , 300 Å, 2.5 µm	186009895*	186009896*	186009897*
XSelect Peptide CSH C ₁₈ , 130 Å, 2.5 µm	186009907	186009908	186009909
XSelect Peptide HSS T3, 100 Å, 2.5 µm	186009910	186009911	186009912

	2.1 x 50 mm	2.1 x 100 mm	2.1 x 150 mm
XBridge Oligonucleotide BEH C ₁₈ , 130 Å, 2.5 µm	186009836	186009837	186009838

	4.6 x 50 mm	4.6 x 100 mm	4.6 x 150 mm
XBridge Oligonucleotide BEH C ₁₈ , 130 Å, 2.5 µm	186009901	186009902	186009903

*XBridge Peptide BEH 300 Å Columns (part numbers 186009493, 186009494, 186009495, 18600989, 186009896, and 186009897) may also be used for oligonucleotide analyses requiring wider pore sizes.



THE SCIENCE OF WHAT'S POSSIBLE.™

Waters, The Science of What's Possible, MaxPeak, BEH Technology, CSH, XSelect, XBridge, Rap/Fluor-MS, VanGuard, Atlantis, ACQUITY, and UPLC are trademarks of Waters Corporation. All other trademarks are the property of their respective owners.

Waters Corporation
 34 Maple Street
 Milford, MA 01757 U.S.A.
 T: 1 508 478 2000
 F: 1 508 872 1990
 waters.com