

Micro GC PRO Extension Boards

Inspection and Unpacking

CAUTION

Before performing the unpacking procedure be sure to wear an ESD (Electronic Static Discharges) strap.

Unpack the Micro GC PRO Extension Boards and accessories carefully and transfer to the work area, using proper handling techniques. Inspect the Micro GC PRO Extension Boards and accessories carefully for damage or signs of rough handling. Report damage to the carrier and to your local Agilent office.

See the packing list(s) below for the parts shipped with the different extension boards and board housing.



Packing lists

	Basic Extension Board	Analog Extension Board CP741117	Digital Extension Board	Extension Boards Housing CP741119
	CP741116		CP741118	
Extension Board (packed in anti-static bag)				
	The second		THE RESERVE OF THE PARTY OF THE	
Digital IO cable, 25 pins	Х			
Analog input cable, 15 pins	Х			
Small materials:				
Screws x 4	х	х	х	Х
Washer x 4	х	х	х	
0				
Standoff x 4	х	Х	Х	

	Basic Extension Board CP741116	Analog Extension Board CP741117	Digital Extension Board CP741118	Extension Boards Housing CP741119
Nut x 4		х	х	
Connector for Board stacking		Х	х	
Cable for Boards nterconnection 0.5 meter		Х	Х	
Baseplate				х
Side panels (2)				Х
CD-ROM	Х	х	х	
New York Control of the Control of t				



© Agilent Technologies, Inc. 2016 Printed in The Netherlands January 2016

