



VEREX™

Certified Vial Products



Autosampler Compatibility Chart



Verex vial products are compatible with virtually any autosampler!

 **phenomenex**[®]
...breaking with traditionSM



www.phenomenex.com/verex

Verex™ Vials

Autosampler Compatibility Chart

Verex vials that are compatible with various models of autosamplers as indicated in the table. Certain autosamplers require the purchase of optional vial trays and, in few a cases, programming upgrades to use all of the vials listed. An X mark indicates that the vials from this category are compatible with the autosampler in most configurations.

Manufacturer	Model	Crimp	Snap	Screw Thread				Shell		Headspace				VOA/ASE
				8	9	10	13	8 x 40	15 x 45	23	23	23	23	
	Vial Diameter (mm)	11	11	8	9	10	13	8 x 40	15 x 45	23	23	23	23	28
	Dimensions (mm)	12 x 32	12 x 32	12 x 32	12 x 32	12 x 32	15 x 45	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28 x 57, 28 x 95
	Vial Thread Finish	–	–	8-425	9-425	10-425	13-425	–	–	–	–	–	–	24-400
	Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom	Round Bottom	Round Bottom	Round Bottom	Flat Bottom	Flat Bottom
Agilent Technologies	1050	X	X		X									
	1090	X	X		X									
	1090 (34 Pos. Tray)													
	1100	X	X		X									
	1200	X	X		X									
	1260 Infinity	X			X									
	1290 Infinity	X			X									
	G1888A						X						X	
	7673A	X			X									
	7683A	X			X									
	HS7694						X						X	
	7695A													X
	79855(A)	X	X		X									
	5880	X			X									
	5890	X			X									
	6850 (27 Pos. Tray)	X			X									
	6850 (22 Pos. Tray)							X						
	6890	X			X									
	CTC HTS+HTC PAL	X	X		X									
	CTC GC PAL	X			X									
CTC Combi PAL										X		X		
Tekmar SOLATEk72													X	
Archon Pluge + Trap													X	
AQUATEk 70													X	
7693A	X	X	X	X			X	X						
HS7694							X						X	
7697A													X	
AI	42 Position Tray	X												
AIM	CPS-100/200	X		X	X									
Alcott	718AL	X		X	X									
Alpha M.O.S.	Fox/Prometheus	X		X	X									
	Kronos	X		X	X									
Analytik Jena	multi N/C 3000 (TOC)													x
Antec	Alexys	X	X	X	X									
Leyden	AS 100	X	X	X	X	X								
Antek	736 Unisampler	X	X	X	X	X								
	738	X	X	X	X	X								
ATAS GL	Focus	X	X	X	X									
Beckman Coulter	501	X	X	X	X	X								
	502/502e	X	X	X	X	X								
	507/507e	X	X	X	X	X								
	508 (System Gold)				X					X				
	Marathon	X	X	X	X									
	Promis	X	X	X	X									
	Triathlon, Standard Tray	X	X	X	X						X			
Triathlon, LSV Tray							X							
Triathlon, Super-LSV Tray										X				
Bruker	Map II	X		X	X	X								
	LC51						X							
Cambridge Scientific Instruments	205 Series	X		X	X	X	X							
	300 Series	X		X	X	X	X							
Carlo Erba	AS100	X	X	X	X									
	AS200	X		X	X									
	A200LC	X	X	X	X									
	AS200S	X		X	X									
	AS300	X	X	X	X									
	AS800, 42 vial tray	X		X	X									
	AS800, 60 vial tray	X		X	X									
	HS250									X				
	HS500									X				
HS800									X		X			
HS850									X		X			

Verex™ Vials

Autosampler Compatibility Chart

Manufacturer	Model	Crimp	Snap	Screw Thread				Shell		Headspace				VOA/ASE
				8	9	10	13	8	15	23	23	23	23	
	Vial Diameter (mm)	11	11	8	9	10	13	8	15	23	23	23	23	28
	Dimensions (mm)	12 x 32	12 x 32	12 x 32	12 x 32	12 x 32	15 x 45	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28 x 57, 28 x 95
	Vial Thread Finish	–	–	8-425	9-425	10-425	13-425	–	–	–	–	–	–	24-400
	Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom	Round Bottom	Round Bottom	Round Bottom	Flat Bottom	Flat Bottom
Cecil Instruments	CE4800	X	X	X	X	X								
	AutoQuest	X	X			X	X	X						
CTC	PAL HPLC-Systems	X		X	X	X				X		X		
	PAL Combi-xt Liquid Mode	X		X	X	X				X		X		
	Combi-xt Head-space Option	X								X		X		
	GC-xt Headspace Option	X		X	X	X				X		X		
	PAL HTC-xt	X		X	X	X				X		X		
	HTS-xt	X		X	X	X				X		X		
	HTX-xt	X		X	X	X				X		X		
	Combi-xt SPME Options	X								X		X		
	A200S	X		X	X	X								
	A200 LC	X	X	X	X	X				X				
	HS 500									X				
DANI	ALS 39.80	X	X		X									
	ALS 86.80	X	X		X									
	ALS 1000	X	X		X									
	HS39.50												X	
	HS86.50												X	
	Master AS	X	X		X								X	
Dimatec	Dimatoc 2000													X
	Dimatoc 200													X
	Dimatoc 300													X
	Dimatoc 400													X
Dionex	Gina 50	X	X		X		X							
	AS 50		X	X	X	X								
	Summit ASI 100, Analytical-Tray (117 Pos.)	X	X	X	X									
	Summit ASI 100, Semiprep.-Tray (63 Pos.)						X							
	FAMOS (LC Packings/ Dionex)	X	X	X	X	X				X				
	UltiMate Analytical, cylindrical, WPS-3000 SL, 120 Pos. Rack (2mL)	X	X	X	X	X				X				
	UltiMate Analytical, conical, WPS-3000 SL, 120 (3x40) Pos. Rack (1.1mL=2mL w. Inserts)									X				
	UltiMate Micro, conical, WPS-3000 SL, 120 (3x40) Pos. Rack (250µL)									X				
	UltiMate Semipreparative, WPS-3000 SL, 66 (3x22) Pos. Rack (4mL)						X			X				
	UltiMate Nano/Cap/ Micro, WPS-3000 SL, 216 (3x72) Pos. Rack (1.2mL)									X				
	ASE 200													X
	AS 40						X	X						
	HS-HV			X										
ESA	540	X		X	X	X								
	540-MT	X		X	X	X								
Finnigan	A200S	X		X	X									
Fisons	AS100	X	X	X	X									
	AS150	X		X	X									
	AS200	X		X	X									
	A200LC	X	X	X	X									
	AS200S	X		X	X									

Verex™ Vials

Autosampler Compatibility Chart

Manufacturer	Model	Crimp	Snap	Screw Thread				Shell		Headspace				VOA/ASE
				8	9	10	13	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	
	Vial Diameter (mm)	11	11	8	9	10	13	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28
	Dimensions (mm)	12 x 32	12 x 32	12 x 32	12 x 32	12 x 32	15 x 45	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28 x 57, 28 x 95
	Vial Thread Finish	–	–	8-425	9-425	10-425	13-425	–	–	–	–	–	–	24-400
	Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom	Round Bottom	Round Bottom	Round Bottom	Flat Bottom	Flat Bottom
Fisons (cont'd)	AS300	X	X	X	X									
	AS800, 42 vial tray	X		X	X									
	AS800, 60 vial tray	X		X	X									
	HS250									X				
	HS500									X				
	HS800									X		X		
	HS850								X		X			
GBC	LC 1650	X		X	X	X								
GE Instruments	Sievers 900													X
Gerstel	MPS 2	X		X	X	X				X		X		
	MPS 3	X		X	X	X								
Gilson	201/202			X	X				X					
	221/222			X	X				X					
	231/401			X	X									
	232/402			X	X									
	234	X		X	X									
	235	X		X	X									
	215	X		X	X									
	250	X		X	X									
	Aspec			X	X				X					
	Aspec Xii			X	X									
	Aspec XL4			X	X									
	231XL/232X-L/233XL	X		X	X									
	Nano Injektor			X	X									
	235/235P/SP 235/SP 235P			X	X									
Gynkotek	Gina 50	X	X		X		X							
Hach Lange	IL 550 TOC-TN													X
HTA	HT200H												X	
	HT250D	X	X	X	X	X							X	
	HT280T	X	X	X	X	X							X	
	HT300A	X	X	X	X	X								
	HT310A	X	X	X	X	X								
	HT300L	X	X	X	X	X							X	
IMT GmbH	VSP4000													X
JASCO	AS 2055/AS 2055 (i)	X	X	X	X	X								
	AS 2057/AS 2057 (i)	X	X	X	X	X								
	AS 2059	X	X	X	X	X								
Knauer	K-3800 (Basic Marathon)	X	X	X	X									
	Smartline K-3950	X	X	X	X									
	PLATINblue AS-1	X	X	X	X									
	Marathon	X	X	X	X									
	Promis	X	X	X	X									
LEAP Technologies	LC PAL (216 Pos.)	X	X	X	X	X				X				
	HTX PAL, HTC PAL, HTS PAL (54/98 Pos. Tray)	X	X	X	X	X				X				
	HTX PAL, HTC PAL, HTS PAL (32 Pos. Tray)											X		
	Combi PAL (98 Pos. Tray),	X			X									
	Combi PAL SPME Mode (98 Pos. Tray)	X			X									
	Combi PAL (32 Pos. Tray),									X		X		
Combi PAL SPME Mode (32 Pos. Tray)											X			

Verex™ Vials

Autosampler Compatibility Chart

Manufacturer	Model	Crimp	Snap	Screw Thread				Shell		Headspace				VOA/ASE
				8	9	10	13	8	15	23	23	23	23	
	Vial Diameter (mm)	11	11	8	9	10	13	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28
	Dimensions (mm)	12 x 32	12 x 32	12 x 32	12 x 32	12 x 32	15 x 45	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28 x 57, 28 x 95
	Vial Thread Finish	–	–	8-425	9-425	10-425	13-425	–	–	–	–	–	–	24-400
	Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom	Round Bottom	Round Bottom	Round Bottom	Flat Bottom	Flat Bottom
O.I. Analytical	1020A													X
	1088													X
	1096+													X
	4551A													X
	1552													X
PerkinElmer	Series 200, 85 vial tray	X				X								
	Series 200, 81/100 vial tray	X				X								
	Series 200, 205 vial tray	X				X								
	AI-1	X												
	AS-100/AS-100B	X												
	AS2000/AS2000B	X				X								
	AS-300	X												
	AS8300	X												
	Autosystem	X												
	HS40/HS100/101										X			
	TurboMatrix HS16/HS40/HS40 XL/HS40 Trap/HS110/HS110 Trap										X	X*		
	Integral 4000	X				X								
	ISS-100, 85 vial tray	X				X								
	ISS-100, 100 vial tray	X				X								
	ISS-200, 85 vial tray	X				X								
	ISS-200, 100 vial tray	X				X								
	ISS-225, 205 vial tray	X				X								
	ISS-225, 100 vial tray + 80 vial tray	X				X								
	ISS-225, 85 vial tray	X				X								
	LC 600, 60 vial tray	X				X								
	Clarus 400, 500, 600	X												
Pharmacia	LKB 2157-010	X	X	X	X									
Polymer Laboratories	PL-AS RT	X	X	X	X	X	X							
	GPC 110/210/220	X		X	X	X								
Quma Elektronik	QHSS-40												X	
Sedere		X	X		X									
Selerity	3100	X		X	X	X								
Shimadzu	AOC-5000	X			X					X		X		
	AOC-14/1400	X	X	X	X	X	X			X				
	AOC-17	X	X	X	X	X	X							
	AOC-20/20i/20s 150 Pos. Tray	X		X	X	X	X							
	AOC-20/20i/20s 96 Pos. Tray						X							
	LC-20A	X	X	X	X	X	X							
	SIL-2AS	X	X	X	X	X	X		X					
	SIL-6A	X	X	X	X	X	X		X					
	SIL-6B/SIL-7A/SIL-8A/SIL-9A	X	X	X	X	X	X		X					
	SIL-10A/SIL-10AF/SIL-10AP/SIL-10Ai/SIL-10AxL/Rack S 100 Pos.	X	X	X	X	X								
	SIL-10A/SIL-10AF/SIL-10AP/SIL-10Ai/SIL-10AxL/Rack L 80 Pos.						X		X					

X*: for TurboMatrix 16, 40, 110 produced after 01/09/2006

Verex™ Vials

Autosampler Compatibility Chart

Manufacturer	Model	Crimp	Snap	Screw Thread				Shell		Headspace				VOA/ASE	
	Vial Diameter (mm)	11	11	8	9	10	13	8	15	23	23	23	23	28	
	Dimensions (mm)	12 x 32	12 x 32	12 x 32	12 x 32	12 x 32	15 x 45	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28 x 57, 28 x 95	
	Vial Thread Finish	–	–	8-425	9-425	10-425	13-425	–	–	–	–	–	–	24-400	
	Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom	Round Bottom	Round Bottom	Round Bottom	Flat Bottom	Flat Bottom	
Shimadzu (cont'd)	SIL-10A/SIL-10AF/ SIL-10AP/SIL-10Ai/ SIL-10AxL/Rack MTP2 192 Pos.							X							
	SIL-10HTA/SIL- 10HTC 350 pos. Tray							X							
	SIL-10HTA/SIL- 10HTC 140 Pos. Tray	X	X	X	X	X									
	SIL-10HTA/SIL- 10HTC 100 Pos. Tray						X		X						
	SIL-10ADvp	X	X	X	X	X	X	X	X						
	HTA 200 H											X	X		
	SIL-20A (Prom- inence) 105 vial tray/SIL-20AC (Prominence) 70 vial tray	X	X	X	X	X									
	SIL-20A/Sil-20AC (Prominence) 175 vial tray								X						
	SIL-20A/Sil-20AC (Prominence) 50 vial tray							X		X					
	LC2010C + LC2010A 350 Pos. Tray								X						
	LC2010C + LC2010A 140 Pos. Tray	X	X	X	X	X									
	LC2010C + LC2010A 100 Pos. Tray							X		X					
	ASI-V														X
	HSS-2B							X					X	X	
	SIL 30-ACMP	X			X	X									
SIL-20AXR/ SIL-20ACXR (Prominence) 175 (1-mL vials), 70 (1.5-mL vials), 50 (4-mL vials)	X	X	X	X	X		X	X	X						
SIL-30AC(Nexera) 175 (1-mL vials), 105 (1.5-mL vials), 50 (4-mL vials)	X	X	X	X	X		X	X	X						
Sievers (GE Instruments)	Sievers 900													X	
Spark- Holland	Marathon Basic, Standard 96 Pos. Tray	X	X	X	X										
	Midas, Standard 84 Pos. Tray	X	X	X	X					X					
	Midas, Large Capacity 96 Pos. Tray	X	X	X	X										
	Midas, Large Volume 24 Pos. Tray									X					
	Alias	X	X	X	X						X				
	Promis	X	X	X	X										
	SPH 125	X	X		X										
	Triathlon, Standard 96 Tray	X	X	X	X										
	Triathlon, LSV 72 Pos. Tray							X							
	Triathlon, Super-LSV 32 Pos. Tray									X					
	Endurance 48 Pos. Tray	X	X	X	X										
	Reliance 48 Pos. Tray	X	X	X	X										
	Interty	X	X		X										
	Prospekt 2	X	X												
	Reliance/Symbiosis Pharma	X	X												
Dried Blood Spot (DBS)	X			X	X										
Integrity	X			X	X										

Verex™ Vials

Autosampler Compatibility Chart

Manufacturer	Model	Crimp	Snap	Screw Thread				Shell		Headspace				VOA/ASE	
				8	9	10	13	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75		
	Vial Diameter (mm)	11	11	8	9	10	13	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28	
	Dimensions (mm)	12 x 32	12 x 32	12 x 32	12 x 32	12 x 32	15 x 45	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28 x 57, 28 x 95	
	Vial Thread Finish	–	–	8-425	9-425	10-425	13-425	–	–	–	–	–	–	24-400	
	Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom	Round Bottom	Round Bottom	Round Bottom	Flat Bottom	Flat Bottom	
Spark-Holland (cont'd)	Integrity 108 Pos. (2ml) 2 x Plates, IntegrityPlus 2 x 108 Pos. (2ml) 4 x Plates	X	X	X	X										
	Optimas	X		X	X										
	Optimas 96 Pos. (2mL) 24 Pos. (10mL)	X	X	X	X							X			
	Alias	X	X	X	X					X					
Spectra-Physics	8875	X	X	X	X										
	8880	X	X	X	X										
	SpectraSYSTEM AS1000	X	X	X	X										
	SpectraSYSTEM AS 3000	X	X	X	X										
	SpectraSYSTEM AS 3500	X	X	X	X										
Sykam	S 5200		X		X										
Teledyne Tekmar	7000/7000HT/7050										X				
	AQUATEk 70/ SOLATEk 72													X	
	STS 8000 TOC													X	
	HT3										X	X			
Thermo Scientific	AS1000 (Trace GC)	X		X	X										
	AS200	X		X	X										
	AS300	X	X	X	X										
	AS2000 30 vial tray									X					
	AS2000 90 vial tray (Trace GC)	X		X	X										
	AI3000 (II) / AS3000 (II) AS3500 (Trace GC + Focus GC)	X			X						X				
	A200LC	X	X	X	X										
	SpectraSYSTEM AS 1000	X	X	X	X										
	SpectraSYSTEM AS 3000	X	X	X	X										
	SpectraSYSTEM AS 3500	X	X	X	X										
	A200S	X		X	X										
	AS100	X	X	X	X										
	AS800, 42 vial tray	X		X	X										
	AS800, 60 vial tray	X		X	X										
	Dionex AS-AP	X	X	X	X	X									
	Dionex UltiMate WPS-3000	X	X	X	X	X	X								
	Dionex AS 40							X		X					
	HS250										X				
	HS500										X				
	HS800										X		X		
	HS850										X		X		
	HS2000										X		X		
	TriPlus (=GC PAL) (AS+ Duo)	X			X	X					X		X		
	TriPlus HS										X		X		
	TriPlus SPME										X		X		
	TriPlus RSH	X	X		X	X					X		X		
	TriPlus 300												X		
	HiPerTOC														X
	Surveyor (Surveyor Plus)	X	X		X	X					X				
	Accela High Speed LC Autosampler (200 Pos.)	X	X		X	X									
	Accela Open Autosampler	X	X			X									
	Trace 1300 Series	X	X		X	X	X					X		X	
Unicam	4247	X		X	X										
	4710	X		X	X										
	4700 (LC)			X	X										
	LC-XP	X		X	X		X								

Verex™ Vials

Autosampler Compatibility Chart

Manufacturer	Model	Crimp	Snap	Screw Thread				Shell		Headspace				VOA/ASE
				8	9	10	13	8	15	23	23	23	23	
	Vial Diameter (mm)	11	11	8	9	10	13	8	15	23	23	23	23	28
	Dimensions (mm)	12 x 32	12 x 32	12 x 32	12 x 32	12 x 32	15 x 45	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28 x 57, 28 x 95
	Vial Thread Finish	–	–	8-425	9-425	10-425	13-425	–	–	–	–	–	–	24-400
	Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom	Round Bottom	Round Bottom	Round Bottom	Flat Bottom	Flat Bottom
Varian	ProStar 400, Standard 96 Pos. Tray	X	X	X	X	X								
	ProStar 410, Standard 84 Pos. Tray	X	X	X	X	X				X				
	ProStar 410, Large Capacity 96 Pos. Tray	X	X	X	X	X								
	ProStar 410, Large Volume 24 Pos. Tray									X				
	ProStar 420, Standard 96 Pos. Tray	X	X	X	X	X								
	ProStar 420, LSV 72 Pos. Tray						X							
	ProStar 420, Super-LSV 32 Pos. Tray									X				
	ProStar 430, 48 Pos. Tray	X	X	X	X									
	8035			X	X									
	8000	X		X	X									
	8400 (100 Pos.)	X		X	X									
	8410-Autoinjector (10 x 2ml; 6 x 5ml; 5 x 10ml)	X		X	X									
	8100	X		X	X									
	8200	X		X	X	X								
	CP-910, 911, 912	X		X	X									
	CP-940, 941	X												
	LC 9100/LC 9095/LC 9090	X	X		X									
	Archon													X
	COMBI PAL (200 Pos. Tray) GC PAL (200 pos. Tray)										X			
	COMBI PAL (98 Pos. Tray) GC PAL (98 Pos. Tray)	X			X						X			
	COMBI PAL SPME mode (98 Pos. Tray)	X			X						X			
	COMBI PAL (32 Pos. Tray) GC PAL (32 Pos. Tray)										X	X		
	COMBI PAL SPME mode (32 Pos. Tray)										X	X		
	Genesis	X											X	
	Marathon Basic, Standard 96 Pos. Tray	X	X	X	X									
	Vista			X	X									
	CP-9020/CP-9025										X			
	CP-9060										X			
CP-9010	X		X	X										
920-LC/940-LC		X	X											
Viscotek	Vortex													X
	GPC Autosampler			X	X	X								
VWR	Hitachi Chromaster	X		X	X		X							
VWR (Merck) /Hitachi	L2200 (LaChrom Elite)/ L2200-U (LaChrom Ultra) (200 Pos. Tray)		X	X	X									
	L2200 (LaChrom Elite) (128 Pos. Tray)						X							
	L7200 (LaChrom) (80 Pos. Tray)/ L7250 (LaChrom) (120 Pos. Tray)		X	X	X									

Verex™ Vials

Autosampler Compatibility Chart


Manufacturer	Model	Crimp	Snap	Screw Thread				Shell		Headspace				VOA/ASE
				8	9	10	13	8	15	23	23	23	23	
	Vial Diameter (mm)	11	11	8	9	10	13	8	15	23	23	23	23	28
	Dimensions (mm)	12 x 32	12 x 32	12 x 32	12 x 32	12 x 32	15 x 45	8 x 40	15 x 45	23 x 46	23 x 75	23 x 46, 23 x 75	23 x 46, 23 x 75	28 x 57, 28 x 95
	Vial Thread Finish	–	–	8-425	9-425	10-425	13-425	–	–	–	–	–	–	24-400
	Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom, Tapered Base	Flat Bottom	Flat Bottom	Round Bottom	Round Bottom	Round Bottom	Flat Bottom	Flat Bottom
VWR (Merck) /Hitachi (cont'd)	L7250 (LaChrom) (Rack Holder for combination Racks)		X	X	X		X							X
	655-A40 (108 Pos. Tray)		X	X	X									
	L-9100		X	X	X									
	AS 2000 (50 Pos. Tray)	X	X	X	X									
	AS 4000 (150 Pos. Tray)	X	X	X	X									
	5210 (Chromaster) 195 Pos (1 mL), 120 Pos 1.5 mL (Standard), 72 Pos. (4 mL), 2 x MTP (96,384)	X	X	X	X		X	X	X					
	AS 6000		X	X	X									
Waters	ACQUITY UPLC Systeme				X		X**							
	WISP 48 position						X		X					
	WISP 96 position							X						
	717, 96 Position Carousel							X						
	717, 48 Position Carousel						X		X					
	Alliance	X	X		X	X								
	Alliance GPC 2000						X			X				
	Alliance HT Syst.	X	X		X	X								
	Alliance 2790/2795	X	X		X	X								
	Acquity Sample Organizer		X		X									
	Acquity/CapLC/ Waters/Nano Acquity		X		X									
	Alliance 2690/2695	X	X			X								
	CapLC	X		X	X	X								
	Model 2767					X								
Model 2777	X		X	X	X									

X**: for 24 Position Plate

Verex Vials

LC/GC vials for more accurate results

- Three levels of certification:
 - Level 1 – Certified
 - Level 2 – Certified PLUS
 - Level 3 – Certified MSQ (Mass Spec Quality)
- 100% defect-free and cleanroom packaged
- Made with inert, high-purity borosilicate glass



Autosampler Compatibility Chart

Australia

t: +61 (0)2-9428-6444
auiinfo@phenomenex.com

Austria

t: +43 (0)1-319-1301
anfrage@phenomenex.com

Belgium

t: +32 (0)2 503 4015 (French)
t: +32 (0)2 511 8666 (Dutch)
beinfo@phenomenex.com

Canada

t: +1 (800) 543-3681
info@phenomenex.com

China

t: +86 400-606-8099
cninfo@phenomenex.com

Denmark

t: +45 4824 8048
nordicinfo@phenomenex.com

Finland

t: +358 (0)9 4789 0063
nordicinfo@phenomenex.com

France

t: +33 (0)1 30 09 21 10
franceinfo@phenomenex.com

Germany

t: +49 (0)6021-58830-0
anfrage@phenomenex.com

India

t: +91 (0)40-3012 2400
indiainfo@phenomenex.com

Ireland

t: +353 (0)1 247 5405
eireinfo@phenomenex.com

Italy

t: +39 051 6327511
italiainfo@phenomenex.com

Luxembourg

t: +31 (0)30-2418700
nlinfo@phenomenex.com

Mexico

t: 01-800-844-5226
tecnicomx@phenomenex.com

The Netherlands

t: +31 (0)30-2418700
nlinfo@phenomenex.com

Austria

t: +64 (0)9-4780951
nzinfo@phenomenex.com

Norway

t: +47 810 02 005
nordicinfo@phenomenex.com

Portugal

t: +351 221 450 488
ptinfo@phenomenex.com

Singapore

t: +65 800-852-3944
sginfo@phenomenex.com

Spain

t: +34 91-413-8613
espinfo@phenomenex.com

Sweden

t: +46 (0)8 611 6950
nordicinfo@phenomenex.com

Switzerland

t: +41 61 692 20 20
swissinfo@phenomenex.com

Taiwan


t: +886 (0) 0801-49-1246
twinfo@phenomenex.com

United Kingdom

t: +44 (0)1625-501367
ukinfo@phenomenex.com

USA

t: +1 (310) 212-0555
info@phenomenex.com

All other countries 
Corporate Office USA
t: +1 (310) 212-0555
info@phenomenex.com



www.phenomenex.com

Phenomenex products are available worldwide. For the distributor in your country, contact Phenomenex USA, International Department at international@phenomenex.com

Terms and Conditions

Subject to Phenomenex Standard Terms & Conditions, which may be viewed at www.phenomenex.com/TermsAndConditions.

Trademarks

The trademarks mentioned herein are the property of Phenomenex, Inc. or their respective owners.

FOR RESEARCH USE ONLY. Not for use in clinical diagnostic procedures.

© 2019 Phenomenex, Inc. All rights reserved.